



Model: I-7059



Model: I-7059D

I-7059/I-7059D

8-channel 10-80VAC Isolated Digital Input Module with 16-bit Counters



Manual



Hardware



Software

CE
Certification

FAQ

Specifications

Digital Input

Channels	8
Input Type	AC, Differential, isolated
Off Voltage Level	3 VAC max.
On Voltage Level	10~80 VAC
AC Frequency	47~400Hz (> 45Hz min)
Input Impedance	10K Ohm, 1W channels : 8
Counters	Max. Counts: 16-bit (65535) Max. Input Frequency : 100Hz Min. Pulse Width : 5ms
Photo-Isolation	5000Vrms

Interface

Interface	RS-485
Format	N, 8, 1 (details)
Baud Rate	1200 ~ 115200bps

LED Display

1 LED as Power/ Communication indicator
8 LEDs as Digital Input indicators (for I-7059D)

Power

Input Voltage Range	10~30VDC
Power Consumption	0.3 W (max.)(I-7059) / 1.0W (max.)(I-7059D)

Environment

Operating Temperature	-25 to 75°C
Storage Temperature	-40 to 85°C
Humidity	5 to 95%, non-condensing

[back](#)

Ordering information

I-7059	8-channel 10-80VAC Isolated Digital Input Module with 16-bit Counters (Blue Cover)
I-7059-G	8-channel 10-80VAC Isolated Digital Input Module with 16-bit Counters (Gray Cover)
I-7059D	I-7059 with LED Display
I-7059D-G	I-7059 with LED Display
I-7059D-G	8-channel 10-80VAC Isolated Digital Input Module with 16-bit Counters (Blue Cover) (D-110)

I-7059 CR	8-channel 10-80VAC Isolated Digital Input Module with 16-bit Counters (Blue Cover) (RoHS)
I-7059-G CR	8-channel 10-80VAC Isolated Digital Input Module with 16-bit Counters (Gray Cover) (RoHS)
I-7059D CR	I-7059 with LED Display (RoHS)
I-7059D-G CR	I-7059 with LED Display (RoHS)

[back](#)

Related Products

[Converters](#)[Power Supply](#)[Relay Module](#)[Learning Kit](#)[Application Books](#)[Data Logger Software](#)

USB, RS-232, Fiber Optical to RS-485 Converters and Repeaters

24V DC power supply

External relay modules for I-7000 DO module

Learning kit

Application books designed with our products

User friendly data logger software (free)

[back](#)

Copyright© ICP DAS Co., Ltd. All Rights Reserved

Tento produkt můžete zakoupit u společnosti AutoCont IPC a.s.



AutoCont IPC a.s.

Váš dodavatel průmyslových počítačů, komponent a speciálních průmyslových IT systémů.

 Uhlířská 1064/3, 710 00 Ostrava, Česká republika

 obchod@autocont-ipc.cz

 +420 552 301 002

 www.autocont-ipc.cz



PRŮMYSLOVÉ POČÍTAČE

fanless embedded PC, do racku, ...



POČÍTAČE S DISPLEJEM

panelové PC, terminály, do vozidel, ...



AUTOMATIZACE A SBĚR DAT

převodníky, karty, moduly, switche, ...



PERIFERIE A KOMPONENTY

monitory, klávesnice, desky, skříně, ...



NOTEBOOKY A TABLETY

odolné, windows, android, IP65, ...



INFORMAČNÍ KIOSKY

interiérové, venkovní, ...



MEDICÍNSKÁ TECHNIKA

počítače, tablety, LCD, klávesnice, ...



SOFTWAREVÁ ŘEŠENÍ

pro výrobu, zaměstnance, kiosky, ...



PŘEJÍT DO E-SHOPU

eshop.autocont-ipc.cz



DOPRAVA ZDARMA

Doprava zdarma v ČR a SR při objednávce nad 10 000 Kč bez DPH nebo nad 400 EUR.



PRODLOUŽENÁ ZÁRUKA

Záruka 2 roky na vyráběné počítače s možností jejího prodloužení až na 5 let.



ODMĚNA ZA VĚRNOST

Pravidelní zákazníci u nás nakupují za nižší ceny. Výše slevy se odvíjí od realizovaného obrátu.



SERVIS ON-SITE A IN-TIME

K projektovým dodávkám nabízíme rozšířenou podporu a servis s garancí výměny zařízení do 48 hodin.