

Certification

Application Stories

FAQ

News & Events

Home

About Company

Products

Download

Distributors

Partners

Training

Activity

Catalog



Model: I-7066



Model: I-7066D

I-7066/I-7066D

7-channel Photo-Mos Relay Output Module



Manual



Hardware



Software

CE
Certification

FAQ

Specifications

Relay Output

Channels	7
Relay Type	Form A, Photo-MOS Relay
Continuous Load Current	0.13A max.
Peak Load Current	0.4A
Output Power Dissipation	0.5W
Output Off State Leakage Current	1uA
Output On Resistance	23Ohms
Load Voltage	350V(AC peak or DC)
Turn On Time	0.7ms (typical)
Turn Off Time	0.05ms (typical)
Photo-Isolation	5,000VAC
Life Time	long life, maintenance free

Interface

Interface	RS-485
Format	N, 8, 1 (details)
Baud Rate	1200 ~ 115200bps

LED Display


- 1 LED as Power/ Communication indicator
- 7 LEDs as PhotoMOS Relay Output indicators (for I-7066D)

Power

Input Voltage Range	10~30VDC
Power Consumption	0.8W (max.)(I-7066) / 0.8W (max.)(I-7066D)

Environment

Operating Temperature	-25 to 75°C
Storage Temperature	-40 to 85°C
Humidity	5 to 95%, non-condensing



[back](#)

Ordering information

I-7066	7-channel Photo-Mos Relay Output Module
I-7066D	I-7066D with LED Display
I-7066 CR	7-channel Photo-Mos Relay Output Module (RoHS)
I-7066D CR	I-7066D with LED Display (RoHS)

[back](#)

Related Products

Converters	USB, RS-232, Fiber Optical to RS-485 Converters and Repeaters
Power Supply	24VDC power supply
Relay Module	External relay modules for I-7000 DO module
Learning Kit	Learning kit
Application Books	Application books designed with our products
Data Logger Software	User friendly data logger software (free)

[back](#)

Copyright© ICP DAS Co., Ltd. All Rights Reserved

Tento produkt můžete zakoupit u společnosti AutoCont IPC a.s.



AutoCont IPC a.s.

Váš dodavatel průmyslových počítačů, komponent a speciálních průmyslových IT systémů.

 Uhlířská 1064/3, 710 00 Ostrava, Česká republika

 obchod@autocont-ipc.cz

 +420 552 301 002

 www.autocont-ipc.cz



PRŮMYSLOVÉ POČÍTAČE

fanless embedded PC, do racku, ...



POČÍTAČE S DISPLEJEM

panelové PC, terminály, do vozidel, ...



AUTOMATIZACE A SBĚR DAT

převodníky, karty, moduly, switche, ...



PERIFERIE A KOMPONENTY

monitory, klávesnice, desky, skříně, ...



NOTEBOOKY A TABLETY

odolné, windows, android, IP65, ...



INFORMAČNÍ KIOSKY

interiérové, venkovní, ...



MEDICÍNSKÁ TECHNIKA

počítače, tablety, LCD, klávesnice, ...



SOFTWAREVÁ ŘEŠENÍ

pro výrobu, zaměstnance, kiosky, ...



PŘEJÍT DO E-SHOPU

eshop.autocont-ipc.cz



DOPRAVA ZDARMA

Doprava zdarma v ČR a SR při objednávce nad 10 000 Kč bez DPH nebo nad 400 EUR.



PRODLOUŽENÁ ZÁRUKA

Záruka 2 roky na vyráběné počítače s možností jejího prodloužení až na 5 let.



ODMĚNA ZA VĚRNOST

Pravidelní zákazníci u nás nakupují za nižší ceny. Výše slevy se odvíjí od realizovaného obrátu.



SERVIS ON-SITE A IN-TIME

K projektovým dodávkám nabízíme rozšířenou podporu a servis s garancí výměny zařízení do 48 hodin.