

# HPC-7000

## Server Tower Chassis for EATX/ATX/ MicroATX Motherboard



CE FCC

### Features

- Supports EATX/ATX/MicroATX motherboard with dual processors
- Three internal 3.5" HDD bays and one slim ODD drive bay
- Dual front USB 3.0 ports


### Specifications

| Drive Bay                | Slim Optical Drive<br>3.5" | External                                       | Internal                    |
|--------------------------|----------------------------|------------------------------------------------|-----------------------------|
|                          |                            | 1                                              | -                           |
| Cooling                  | Fan                        | 2 (12cm/150CFM)                                | -                           |
|                          | Air Filter                 | -                                              | -                           |
| Front I/O Interface      | USB3.0                     | 2                                              |                             |
| Miscellaneous            | LED Indicators             | Power                                          |                             |
|                          | Rear Panel                 | Two USB reserved ports                         |                             |
| Environment              |                            | Operating                                      | Non-Operating               |
|                          | Temperature                | 0 ~ 40 °C (32 ~ 104 °F)                        | -40 ~ 60 °C (-40 ~ 140 °F)  |
|                          | Humidity                   | 95% @ 40 °C, non-condensing                    | 95% @ 60 °C, non-condensing |
|                          | Vibration (5 ~ 500 Hz)     | 1 Grms                                         | 2 G                         |
|                          | Shock                      | 10 G (with 11 ms duration, half sine wave)     |                             |
| Physical Characteristics | Dimensions (W x H x D)     | 267.1 x 458 x 500mm (10.52" x 18.03" x 19.69") |                             |


### Front View



### Rear View




### Inside View



## Dimensions

Unit: mm [inch]



## Ordering Information

| Part Number    | Description                        |
|----------------|------------------------------------|
| HPC-7000-50ZXE | HPC-7000 Tower chassis w/ 500W SPS |
| HPC-7000-85ZXE | HPC-7000 Tower chassis w/ 850W SPS |

## Packing List

| Part Number   | Description     | Quantity |
|---------------|-----------------|----------|
| 1750008562-01 | 12cm system fan | 2        |

Note:

1. HPC-7000 does not support AIMB series motherboard

## Optional Accessories

| Part Number        | Description                                                                 |
|--------------------|-----------------------------------------------------------------------------|
| 96CB-SATAPOWER-6P2 | SATA power wire 6-pin to big 4-pin (for slim ODD)                           |
| 989K008734         | Convert module for dual 9.6mm(H) 2.5" HDDs in a 3.5" cage                   |
| IPC-DT-3120E       | Mobile rack for converting a 3.5" drive bay to dual 9.6mm(H) 2.5" HDD trays |
| 1700026948-01      | USB 3.0 cable (30cm) for rear panel                                         |
| 1700011592         | USB 2.0 cable (50cm) for rear panel                                         |
| 1750006117         | 6cm system fan (23.6CFM) for rear panel                                     |

# Tento produkt můžete zakoupit u společnosti AutoCont IPC a.s.



## AutoCont IPC a.s.

Váš dodavatel průmyslových počítačů, komponent a speciálních průmyslových IT systémů.

 Uhlířská 1064/3, 710 00 Ostrava, Česká republika

 obchod@autocont-ipc.cz

 +420 552 301 002

 [www.autocont-ipc.cz](http://www.autocont-ipc.cz)



### PRŮMYSLOVÉ POČÍTAČE

fanless embedded PC, do racku, ...



### POČÍTAČE S DISPLEJEM

panelové PC, terminály, do vozidel, ...



### AUTOMATIZACE A SBĚR DAT

převodníky, karty, moduly, switche, ...



### PERIFERIE A KOMPONENTY

monitory, klávesnice, desky, skříně, ...



### NOTEBOOKY A TABLETY

odolné, windows, android, IP65, ...



### INFORMAČNÍ KIOSKY

interiérové, venkovní, ...



### MEDICÍNSKÁ TECHNIKA

počítače, tablety, LCD, klávesnice, ...



### SOFTWAREVÁ ŘEŠENÍ

pro výrobu, zaměstnance, kiosky, ...



### PŘEJÍT DO E-SHOPU

[eshop.autocont-ipc.cz](http://eshop.autocont-ipc.cz)



### DOPRAVA ZDARMA

Doprava zdarma v ČR a SR při objednávce nad 10 000 Kč bez DPH nebo nad 400 EUR.



### PRODLOUŽENÁ ZÁRUKA

Záruka 2 roky na vyráběné počítače s možností jejího prodloužení až na 5 let.



### ODMĚNA ZA VĚRNOST

Pravidelní zákazníci u nás nakupují za nižší ceny. Výše slevy se odvíjí od realizovaného obrátu.



### SERVIS ON-SITE A IN-TIME

K projektovým dodávkám nabízíme rozšířenou podporu a servis s garancí výměny zařízení do 48 hodin.