

CRV-430WP

43" UHD Curved touch Monitor



Features

- Curved convex and concave format monitors
- Totally unique industrial design
- Compelling user experience
- Large format, deep curved sizes
- Integrated Projected Capacitive (PCAP) Multi-touch
- VGA, Display port, HDMI interface
- Enhanced solution for casino slot machines, gaming, signage, kiosks and other public information terminals
- 43" in Ultra HD (3840 x 2160)
- Portrait or Landscape mode supported
- Custom bending and monitor configuration available

Introduction


CRV-430WP is the latest curved display product from Advantech Industrial Display Solutions. The introduction of deep curved profiles to a large area display creates exciting opportunities for industrial and user interface design alike. Packaged together with an industrial grade video card and power supply, CRV-430WP is available with Triptic™ HDMI 1.4, HDMI 2.0, Display Port and Analog RGB and can be specified with or without 10-point multi-touch overlay. All products can be used in either portrait or landscape mode and are cleverly packaged in such a way that no further mechanical parts are needed other than a VESA mount to create a display system. The use of a metal chassis provides a rugged and stable platform to build solutions for the widest range of applications.

Specification

Display	Model	CRV-430WP
	Size	43" LED panel
	Resolution	3840 x 2160 (Ultra HD)
	Viewing Angle	89/89/89/89
	Brightness	450 (cd/m ²)
	Color Support	1.07 Billion
	Contrast Ratio	1100:1
	Response Time	14 [msec]
Backlight Life (hrs)	50,000 hrs	
Touchscreen	Touchscreen Type	4mm Projected Capacitive Touchscreen
	Surface Hardness	6H
	Durability	-
	Transparency	80%
Environment	Operating Temperature	0 ~ 50 °C
	Storage Temperature	-20 ~ 60 °C
	Humidity	5 ~ 90% @ 40 °C, non-condensing
	Vibration	5-500 Hz, 0.026G ² /Hz, 2.16Grms, X, Y, Z, 1 hour per axis
System	I/O	VGA x 1, HDMI 1.4 x 2, HDMI 2.0 x 1, 24V DC Jack x 1, USB x 2 (one USB are reserved for the connection to enable touch usage only)
	OSD	Keys: Menu/Up/Down/Left/Right/Select
	Menu	Functions: Picture, Advance, Color, OSD, MISC, PIP
	Weight	Net weight: 40kg , Gross weight : 45kg
	Power Consumption	100W
	EMC Compliance	CE/FCC/CCC
	Net Weight	33.1Kg
	Gross Weight	37.5Kg

Dimensions

Unit: mm



Ordering Information

Model Name	Description
CRV-430WP-45UHA1	43" UHD 450 cd/m ² , C type curved touch monitor with P-cap touch

Optional Items

Part Number	Description
1700027186-01	HDMI cable 1.5 meter
1700023591-01	HDMI cable 1.2 meter
XIDS-STD-24050	A/D 100-240V 120W 24V C14 DIN 4 PIN -++
1702002600	Power Cord UL 3P 10A 125V 183cm

Packing List

Part Number	Description
1700002215	M Cable USB-A(M)/USB-A(M) 180CM
1700026656-01	M Cable Displayport 20P(M)/Displayport 20P(M) 190CM

Tento produkt můžete zakoupit u společnosti AutoCont IPC a.s.



AutoCont IPC a.s.

Váš dodavatel průmyslových počítačů, komponent a speciálních průmyslových IT systémů.

 Uhlířská 1064/3, 710 00 Ostrava, Česká republika

 obchod@autocont-ipc.cz

 +420 552 301 002

 www.autocont-ipc.cz



PRŮMYSLOVÉ POČÍTAČE

fanless embedded PC, do racku, ...



POČÍTAČE S DISPLEJEM

panelové PC, terminály, do vozidel, ...



AUTOMATIZACE A SBĚR DAT

převodníky, karty, moduly, switche, ...



PERIFERIE A KOMPONENTY

monitory, klávesnice, desky, skříně, ...



NOTEBOOKY A TABLETY

odolné, windows, android, IP65, ...



INFORMAČNÍ KIOSKY

interiérové, venkovní, ...



MEDICÍNSKÁ TECHNIKA

počítače, tablety, LCD, klávesnice, ...



SOFTWAREVÁ ŘEŠENÍ

pro výrobu, zaměstnance, kiosky, ...



PŘEJÍT DO E-SHOPU

eshop.autocont-ipc.cz



DOPRAVA ZDARMA

Doprava zdarma v ČR a SR při objednávce nad 10 000 Kč bez DPH nebo nad 400 EUR.



PRODLOUŽENÁ ZÁRUKA

Záruka 2 roky na vyráběné počítače s možností jejího prodloužení až na 5 let.



ODMĚNA ZA VĚRNOST

Pravidelní zákazníci u nás nakupují za nižší ceny. Výše slevy se odvíjí od realizovaného obrátu.



SERVIS ON-SITE A IN-TIME

K projektovým dodávkám nabízíme rozšířenou podporu a servis s garancí výměny zařízení do 48 hodin.