

# IDP31-070W

7" up to 1,000 cd/m<sup>2</sup> Ultra High Brightness Bezel-less Touch Monitor



## Features

- Supports regular and Ultra High brightness 500 cd/m<sup>2</sup> & 1000 cd/m<sup>2</sup>
- 7" LCD wide screen panel with LED backlight delivers a long service life
- Supports wide operating temperatures
- True flat surface – contemporary Proflat design
- Wide viewing angles support portrait and landscape modes
- Supports both VESA and panel mounting methods
- Multi-touch PCAP touchscreen with USB interface
- IP rating for water and dust protection
- Anti-reflective surface treatment empowers sunlight readability (customized solution)
- Front side surface treatment for IK08



## Introduction


Advantech's IDP31-070W Proflat monitor meets demands for stylish contemporary public EV charger, signage, medical, and POS applications. This solution features a flat, easy to clean/maintain glass surface with long-term product availability. IDP31-070W can be used in either portrait or landscape modes and supports both VESA and panel mounting methods. This solution's metal chassis creates a rugged and stable platform for a wide range of applications and solutions.

## Specifications

Display Features	Specifications		Notes
Model	IDP31-070WP50HIA1	IDP31-070WP1KHIA1	
Backlight	LED	LED	Light source
Resolution	800 x 480	800 x 480	
Brightness	500 cd/m <sup>2</sup>	1000 cd/m <sup>2</sup>	
Viewing Angle	85°/85°/85°/85°	85°/85°/85°/85°	Left/Right/Up/Down
Max Colors	16.7M	16.7M	
Contrast Ratio	800:1	800:1	
Response Time	25 ms	25 ms	Maximum
Backlight Lifetime	50,000 hours	50,000 hours	Typical time to half brightness in room temperature operation
Touchscreen Type	Projected Capacitive	Projected Capacitive	10 points
Surface Hardness	7H	7H	Pencil hardness
Transparency	90%	90%	Minimum
Cover Glass Thickness	2.8 mm	2.8 mm	
Operating Temperature	-20 ~ 65 °C	-20 ~ 65 °C	
Storage Temperature	-30 ~ 80 °C	-30 ~ 80 °C	
Humidity	90% @ 40 °C (104 °F)	90% @ 40 °C (104 °F)	Non-condensing
Input/Output	HDMI x 1; 12 V <sub>DC</sub> Jack x 1; Type A USB x 1	HDMI x 1; 12 V <sub>DC</sub> Jack x 1; Type A USB x 1	
OSD	Keys: Menu/Sel, Right/UP, Left/Down, Exit, Monitor Power on/off Key Functions: Brightness, Contrast, Screen Settings, Color Temp, Language	Keys: Menu/Sel, Right/UP, Left/Down, Exit, Monitor Power on/off Key Functions: Brightness, Contrast, Screen Settings, Color Temp, Language	
Power Consumption	4W	5.5W	
Power Input	12V <sub>DC</sub>	12V <sub>DC</sub>	
Mounting	VESA/Panel mount	VESA/Panel mount	
IP Rating	Front IP67	Front IP67	
Net Weight	1.22kg	1.22kg	
IK08	Front side surface only	Front side surface only	

## Dimensions

Unit: mm



## Ordering Information

Model Name	Description
IDP31-070WP50HIA1	7", Bezel-less touch monitor with PCAP touch screen, WVGA resolution, 500 cd/m <sup>2</sup> brightness, HDMI input
IDP31-070WP1KHIA1	7", Bezel-less touch monitor with PCAP touch screen, WVGA resolution, 1000 cd/m <sup>2</sup> brightness, HDMI input

## Packing List

Part Number	Description
1700002215-11	1 x M cable USB-A(M)/USB-A(M) 180CM
1700027186-01	HDMI cable 1.5 meter
1930002205	6 x Screw M4_30L
1962055040	6 x Clamper

## Optional Items

Part Number	Description
1700001524	3-Pin power cord (USA)
1700019146	3-Pin power cord (China)
170203183C	3-Pin power cord (EU)
170203180A	3-Pin power cord 90° (UK)
1700008921	3-Pin power cord with PSE (Japan)
96PSA-A36W12R1-3	Adapter 100-240V 36W (12V/3A)
1700023591-01	HDMI cable 1.2 meter

All Advantech monitors are configurable to order. Use [www.advantech.com](http://www.advantech.com) for guidance on versions, pricing and deliver for all models

# Tento produkt můžete zakoupit u společnosti AutoCont IPC a.s.



## AutoCont IPC a.s.

Váš dodavatel průmyslových počítačů, komponent a speciálních průmyslových IT systémů.

 Uhlířská 1064/3, 710 00 Ostrava, Česká republika

 obchod@autocont-ipc.cz

 +420 552 301 002

 [www.autocont-ipc.cz](http://www.autocont-ipc.cz)



### PRŮMYSLOVÉ POČÍTAČE

fanless embedded PC, do racku, ...



### POČÍTAČE S DISPLEJEM

panelové PC, terminály, do vozidel, ...



### AUTOMATIZACE A SBĚR DAT

převodníky, karty, moduly, switche, ...



### PERIFERIE A KOMPONENTY

monitory, klávesnice, desky, skříně, ...



### NOTEBOOKY A TABLETY

odolné, windows, android, IP65, ...



### INFORMAČNÍ KIOSKY

interiérové, venkovní, ...



### MEDICÍNSKÁ TECHNIKA

počítače, tablety, LCD, klávesnice, ...



### SOFTWAREVÁ ŘEŠENÍ

pro výrobu, zaměstnance, kiosky, ...



### PŘEJÍT DO E-SHOPU

[eshop.autocont-ipc.cz](http://eshop.autocont-ipc.cz)



### DOPRAVA ZDARMA

Doprava zdarma v ČR a SR při objednávce nad 10 000 Kč bez DPH nebo nad 400 EUR.



### PRODLOUŽENÁ ZÁRUKA

Záruka 2 roky na vyráběné počítače s možností jejího prodloužení až na 5 let.



### ODMĚNA ZA VĚRNOST

Pravidelní zákazníci u nás nakupují za nižší ceny. Výše slevy se odvíjí od realizovaného obrátu.



### SERVIS ON-SITE A IN-TIME

K projektovým dodávkám nabízíme rozšířenou podporu a servis s garancí výměny zařízení do 48 hodin.