


USC-M10

10.1" PCAP Touchscreen Monitor



Features

- 10.1" TFT display with LED backlight
- Flat bezel-less PCAP touch panel
- Supports VESA (75 x 75 mm) and wall mounting
- IP65-rated front panel
- Compact, future-ready and simple design
- USB-C solution optimizes serviceability


Specifications

Model	USC-M10
Panel	10.1" TFT LCD(LED backlight)
Brightness	350 cd/m ²
Contrast Ratio	800:1
Touchscreen	P: PCAP / G: Glass
Resolution	1280 x 800
Aspect Ratio	16:10
Signal Input	HDMI, USB C
Viewing Angle	170°/170°
Power	DC12V
Response Time	25ms
Vesa Mountable	75x75mm
Operating Temperature	0 ~ 40° C
Color Option	Space Grey /Silver /Black (black stand)
Dimensions	244.4 x 163 x 27 mm
OS Support	Windows/Linux/Android

Appearance




VESA 75x75




Hinge Stand

Dimensions

Unit: mm



Interface



Ordering Information

Part Number	Description
USC-M10G-STC03	10.1" Glass, Silver, w/ Stand, 2nd display for USC-300
USC-M10P-STC00	10.1" PCAP touch monitor, Silver, VESA75x75
USC-M10P-GTC00	10.1" PCAP touch monitor, Space Grey, VESA75x75
USC-M10G-GTC00	10.1" monitor, Glass, Grey, VESA75, no Cable
USC-M10P-BTC00	10.1" monitor, PCAP, Black, VESA75, no Cable
USC-M10P-BTC01	10.1" monitor, PCAP, Black, Rear mount, 60cm Cable
USC-M10P-BTC03	10.1" monitor, PCAP, Black, Single stand, 60cm Cable
USC-M10G-BTC03	10.1" monitor, Glass, Black, Single stand, 60cm Cable

Packing List

PN	Description	Qty	Note
USC-M10G	USB C to USB C cable, 60cm, W/lock	1	
(with stand for USC-300)	screws	4	As 2 nd display
USC-M10P (VESA)	screws	4	As monitor

Accessories

Part Number	Description	
USB C to USB C cable	1700033294-01	M cable USB-C 24P/USB-C 24P 60cm USB3.1 W/lock
	1700033357-01	M cable USB-C 24P(M)/USB-C 24P(M) 200cm USB3.1
USB A to USB C cable	1700032613-01	M cable USB-A 4P(M)/USB-C 24P 35cm
HDMI cable	1700028438-01	M cable HDMI 19P/HDMI 19P 180cm
Adapter	96PSA-A36W12V5-3	ADP A/D 100-240V 36W 12V C6 DC JACK 62368
	96CB-POWER-B-1.8MB	RW0.75, CCC, black/3L, 180 cm
Power Cord	1700001524	Power cable 3P, UL, 10A, 125V, 180 cm (US, TW)
	170203183C	Power cable 3P, 10A, 250V, 183 cm (EU)
	1700018553	Power cable 3P, SAA, 2.5A, 250V, 183 cm (Australia)
	1700025113-11	Power cable, ISI, 3P, 2.5A, 250V, 180 cm (India)
	1700018409	Power cable, KCC, 2P, 2.5A, 250V, 183 cm (Korea, Russia)
	170203180A	Power cable, BSI, 3P, 2.5A, 250V, 183 cm (UK)
	1700008921	Power cable, PSE, 3P, 7A, 125V, 180 cm (Japan)

Tento produkt můžete zakoupit u společnosti AutoCont IPC a.s.



AutoCont IPC a.s.

Váš dodavatel průmyslových počítačů, komponent a speciálních průmyslových IT systémů.

 Uhlířská 1064/3, 710 00 Ostrava, Česká republika

 obchod@autocont-ipc.cz

 +420 552 301 002

 www.autocont-ipc.cz



PRŮMYSLOVÉ POČÍTAČE

fanless embedded PC, do racku, ...



POČÍTAČE S DISPLEJEM

panelové PC, terminály, do vozidel, ...



AUTOMATIZACE A SBĚR DAT

převodníky, karty, moduly, switche, ...



PERIFERIE A KOMPONENTY

monitory, klávesnice, desky, skříně, ...



NOTEBOOKY A TABLETY

odolné, windows, android, IP65, ...



INFORMAČNÍ KIOSKY

interiérové, venkovní, ...



MEDICÍNSKÁ TECHNIKA

počítače, tablety, LCD, klávesnice, ...



SOFTWAREVÁ ŘEŠENÍ

pro výrobu, zaměstnance, kiosky, ...



PŘEJÍT DO E-SHOPU

eshop.autocont-ipc.cz



DOPRAVA ZDARMA

Doprava zdarma v ČR a SR při objednávce nad 10 000 Kč bez DPH nebo nad 400 EUR.



PRODLOUŽENÁ ZÁRUKA

Záruka 2 roky na vyráběné počítače s možností jejího prodloužení až na 5 let.



ODMĚNA ZA VĚRNOST

Pravidelní zákazníci u nás nakupují za nižší ceny. Výše slevy se odvíjí od realizovaného obrátu.



SERVIS ON-SITE A IN-TIME

K projektovým dodávkám nabízíme rozšířenou podporu a servis s garancí výměny zařízení do 48 hodin.