

- Industrial Fanless Monitor in metal cased
- Display LCD TFT 15" - LED backlight
- Resolution XGA 1024 x 768
- IP65 on front panel
- Compatible with all PC: VGA - DVI-D Input
- Internal industrial power supply
- Tempered and anti-reflection Glass
- Available with resistive touch screen
- Various Options&Accessories available



HDD
Easy-Maintenance




Heatsink
on rear panel




Internal Wifi with
rugged antenna

I/O ports

- 1 - Display menu
- 2 - H/D control
- 3 - Left control
- 4 - Right control
- 5 - Brightness +
- 6 - Brightness -
- 7 - Power LED
- 8 - On/Off
- 9 - Power
- 10 - Keylock
- 11 - DVI-D
- 12 - USB (Touch screen)
- 13 - VGA
- 14 - COM(Touch screen)



Mechanical Drawing



Specifications

Chassis	Construction Chassis	Heavy duty metal 1.5 mm thick
	Front Color	Grey (RAL-9006) paint
	Chassis color	Black (RAL-7021) paint
	Without touch screen	Tempered and anti-reflection Glass
	Mounting	VESA 75/100 compatible
	Mounting	IPO solution: base, wallmount, ceiling,...
Display	Protection	IP65 on front panel
	LCD Size	15" - LED Backlight
	Active area	304 x 228 mm
	Resolution	1024 x 768 XGA
	LCD Color	16.2 millions
	Pixel Pitch	0.297 mm
	Brightness	350 cd/m2
	Contrast Ratio	700 : 1
Touch Screen	Viewing Angle	H: 160° - V: 140°
	Technology	Resistive type (5-wire)
I/O ports (trap protection)	Control	USB or RS-232
	VGA	1 x SUBD 15 Male
	DVI	1 x DVI-D Male
	Touch screen	1 x SUBD 9 Femal - 1 x USB 1 x Keylock
Button & Indicator	Rear panel	ATX On/Off switch button
	Rear panel	Power Led
	Rear panel	Brightness control keypad
	Rear panel	Control monitor button (OSD)
System Cooling		Fanless
Dimensions	Dimension WxHxD (mm)	368 x 290 x 74.4
	Weight (kg)	7.0
Industrial Power Supply		AC~ 115/230VAC - 1/0.5A - 50/60Hz Power consumption: 40 W max.
Safety & EMC	Security	EN60950-1
	EMC	EN55022, EN61000-3-2, EN61000-3-3, EN55024, EN61000-4-2, EN61000-4-3, EN61000-4-4, EN61000-4-5, EN61000-4-6, EN61000-4-8, EN61000-4-11
Environment	Operating Temperature	0° ~ + 45°C
	Storage Temperature	- 20 + 60°C
	Relative Humidity	5 95 %
Warranty		2 years Parts & Labour return to base as standard
Options & Accessories	RT (in end of items serie)	Resistive touch screen
	OPT/PIED15S	Stand mount support
	OPT/ARCEAU15S	Wall/Ceiling mounting solution
	OPT/POTENCE/L350	Wall mount with pendant arm - Arm length : 350 mm




**Stand mount
support**



**Wall/Ceiling
mount support**



**Wallmount
with pendant**



**Resistive
touch screen**

Ordering Information

ELIOS 15SF/AC

Industrial Fanless monitor in metal cased - LCD TFT 15" LED - VGA and DVI-D - 230VAC

ELIOS 15SFRT/AC

Industrial Fanless monitor in metal cased - LCD TFT 15" LED - VGA and DVI-D - Touch screen - 230VAC

Please ask for additional information about **Options & Accessories**.

Packing list

- 1 Power cord CE22 1.80 m (AC~ version)
- 1 VGA cable - 1.80 m
- 1 DVI cable - 1.80 m
- 1 RS-232 or USB Cable 1.80 m (Touch version)
- 1 Utility CD includes: User's manual
- 1 Utility CD includes: Drivers
- 1 Production&Traceability datasheet

Tento produkt můžete zakoupit u společnosti AutoCont IPC a.s.



AutoCont IPC a.s.

Váš dodavatel průmyslových počítačů, komponent a speciálních průmyslových IT systémů.

 Uhlířská 1064/3, 710 00 Ostrava, Česká republika

 obchod@autocont-ipc.cz

 +420 552 301 002

 www.autocont-ipc.cz



PRŮMYSLOVÉ POČÍTAČE

fanless embedded PC, do racku, ...



POČÍTAČE S DISPLEJEM

panelové PC, terminály, do vozidel, ...



AUTOMATIZACE A SBĚR DAT

převodníky, karty, moduly, switche, ...



PERIFERIE A KOMPONENTY

monitory, klávesnice, desky, skříně, ...



NOTEBOOKY A TABLETY

odolné, windows, android, IP65, ...



INFORMAČNÍ KIOSKY

interiérové, venkovní, ...



MEDICÍNSKÁ TECHNIKA

počítače, tablety, LCD, klávesnice, ...



SOFTWAREVÁ ŘEŠENÍ

pro výrobu, zaměstnance, kiosky, ...



PŘEJÍT DO E-SHOPU

eshop.autocont-ipc.cz



DOPRAVA ZDARMA

Doprava zdarma v ČR a SR při objednávce nad 10 000 Kč bez DPH nebo nad 400 EUR.



PRODLOUŽENÁ ZÁRUKA

Záruka 2 roky na vyráběné počítače s možností jejího prodloužení až na 5 let.



ODMĚNA ZA VĚRNOST

Pravidelní zákazníci u nás nakupují za nižší ceny. Výše slevy se odvíjí od realizovaného obrátu.



SERVIS ON-SITE A IN-TIME

K projektovým dodávkám nabízíme rozšířenou podporu a servis s garancí výměny zařízení do 48 hodin.