


- Industrial Panel PC in metal cased
- Fanless solution
- Display LCD 32" Full HD - LED backlight
- Resolution UXGA 1920 x 1080
- IP65 on front panel
- Intel® Core™ i5-5350U (1.8GHz)
- Laminated glazing 6.7 mm non glare
- Internal industrial power supply



Metal chassis
IP65 on front




With cover protection




Fanless chassis

I/O ports

- | | |
|----------------|---------------------|
| 1 - Line out | 12 - COM 2 |
| 2 - Line in | 13 - COM 3 (option) |
| 3 - Micro | 14 - Power |
| 4 - USB 2.0 | 15 - Keylock |
| 5 - COM 1 | |
| 6 - USB 3.0 | |
| 7 - USB 3.0 | |
| 8 - Ethernet 1 | |
| 9 - Ethernet 2 | |
| 10 - DVI-I | |
| 11 - ATX Power | |




Mechanical Drawing



Specifications

Chassis	Construction Chassis	2 mm thick
	Colors	black paint RAL-9005
	Mounting	VESA 200x200 / VESA 400x200 compatible
	Anti-reflection Glass	6.7mm laminated glazing - non glare no touch version
	Protection	IP65 on front panel
Display	LCD Size	32" - Full HD
	Active area	698 x 395 mm
	Resolution	1920 x 1080 UXGA
	LCD Color	16.7 millions
	Pixel Pitch	0.37 mm
	Brightness	350 cd/m2
	Contrast Ratio	3000 : 1
	Viewing Angle	+/- 89°
Touch Screen	Technology	IR Multitouch (6 touch)
CPU	CPU	Intel® Atom™ E3845 1.91 GHz
	Chipset	Intel® Atom™ SoC
Operating System	RAM	2 x DDR3L SO-DIMM (max. 8.0 Go)
		Windows 7 / 8.1 - Linux on demand
Drive Bay	HDD/ SSD	1 x 2" 1/2 SATA - Easy-Maintenance
I/O (With cover protection)		1 x USB 3.0 - 2 x USB 2.0 - 2 x RS-232
		2 x Gigabit Ethernet 100/1000Mbps (RJ45) - 1 x Display port
Button / Indicator		1 x Audio(Micro/line In/Line Out) - 1 x Keylock
	Option	Port RS-422/485 - RS-422/485 isolated
System Cooling	Under cover protection	ATX On/Off switch button
		Fanless
Dimensions	Dimension WxHxD (mm)	763 x 455 x 114mm
	Weight (kg)	30
Industrial Power Supply	AC~	115/230VAC - 3/1.5A - 50/60Hz.
		Power consumption: 120 W max.
Safety & EMC	Security	EN60950-1
	EMC	EN55022, EN61000-3-2, EN61000-3-3, EN55024, EN-61000-4-2, EN-61000-4-3, EN-61000-4-4, EN-61000-4-5, EN-61000-4-6, EN-61000-4-8, EN-61000-4-11
Environnement	Operating Temperature	0° ~ + 35°C
	Storage Temperature	- 20 + 60°C
	Relative Humidity	5 95 %
Warranty	2 years Parts & Labour return to base as standard	
Options & Accessories	IR (in end of items serie)	Multitouch IR touch screen
	OPT/ETHRABGN/V46	Internal Wifi Solution 802.11 a/b/g/n - 1 rugged antenna
	OPT/BTH/USB/V46	Option BLUETOOTH
	XSUPPORTMUR/26-52	Wallmount support - security lock possible
	XSUPPORTPLAF/32-60	Ceiling mount solution



Wallmount support



Ceiling mount solution



Rugged Wifi solution

Ordering Information

VITUS 32SCI/AC/NG

Fanless industrial Panel PC Fanless in metal cased - LCD TFT 32" Full HD - Intel® Core™ i5-5350U - 230VAC

Please ask for additional information about **Options & Accessories**.

Packing list

- Power cord CE22 1.80 m (AC~ version)
- Utility CD includes: User's manual
- Utility CD includes: Drivers
- Software Licence (label format)
- Production&Traceability datasheet

Tento produkt můžete zakoupit u společnosti AutoCont IPC a.s.



AutoCont IPC a.s.

Váš dodavatel průmyslových počítačů, komponent a speciálních průmyslových IT systémů.

 Uhlířská 1064/3, 710 00 Ostrava, Česká republika

 obchod@autocont-ipc.cz

 +420 552 301 002

 www.autocont-ipc.cz



PRŮMYSLOVÉ POČÍTAČE

fanless embedded PC, do racku, ...



POČÍTAČE S DISPLEJEM

panelové PC, terminály, do vozidel, ...



AUTOMATIZACE A SBĚR DAT

převodníky, karty, moduly, switche, ...



PERIFERIE A KOMPONENTY

monitory, klávesnice, desky, skříně, ...



NOTEBOOKY A TABLETY

odolné, windows, android, IP65, ...



INFORMAČNÍ KIOSKY

interiérové, venkovní, ...



MEDICÍNSKÁ TECHNIKA

počítače, tablety, LCD, klávesnice, ...



SOFTWAREVÁ ŘEŠENÍ

pro výrobu, zaměstnance, kiosky, ...



PŘEJÍT DO E-SHOPU

eshop.autocont-ipc.cz



DOPRAVA ZDARMA

Doprava zdarma v ČR a SR při objednávce nad 10 000 Kč bez DPH nebo nad 400 EUR.



PRODLOUŽENÁ ZÁRUKA

Záruka 2 roky na vyráběné počítače s možností jejího prodloužení až na 5 let.



ODMĚNA ZA VĚRNOST

Pravidelní zákazníci u nás nakupují za nižší ceny. Výše slevy se odvíjí od realizovaného obrátu.



SERVIS ON-SITE A IN-TIME

K projektovým dodávkám nabízíme rozšířenou podporu a servis s garancí výměny zařízení do 48 hodin.