

Features


- ▶ Industrial Panel PC in metal cased
- ▶ Fanless solution
- ▶ LCD display 32" Full HD - LED backlight
- ▶ Resolution 1920 x 1080
- ▶ IP65 on front panel
- ▶ Intel® Core™ i5-5350U (1.8GHz)
- ▶ Laminated glazing 6.7 mm non glare
- ▶ Available with PCAP touch screen
- ▶ Internal industrial power supply



Metal chassis
IP65 on front




I/O cover protection








Fanless chassis
solution

I/O ports

- | | |
|--------------------|---------------------|
| 1 - Line Out | 13 - COM 3 (option) |
| 2 - Line In | 14 - Alimentation |
| 3 - Micro | 15 - Keylock |
| 4 - USB 2.0 | 16 - Voyant Power |
| 5 - COM 1 | |
| 6 - USB 3.0 | |
| 7 - USB 3.0 | |
| 8 - Ethernet 1 | |
| 9 - Ethernet 2 | |
| 10 - DVI-I | |
| 11 - On/Off button | |
| 12 - COM 2 | |




Mechanical Drawing



Specifications

Chassis	Construction Chassis	2 mm thick
	Color	Black paint RAL - 9005
	Version with touch screen	5.5 mm glass
	Mounting	VESA 200x200 - 400x200
	Handle	2 for transport or mounting
	Protection	IP65 on front panel
Display	LCD Size	31.5" - Full HD - 16:9
	Active area	698.4 x 392.9 mm
	Resolution	1920 x 1080 UXGA
	LCD Color	16.7 millions
	Pixel Pitch	0.36 mm
	Brightness	450 cd/m2
	Contrast Ratio	3000 : 1
	Viewing Angle	+/- 89°
Touch Screen	Technology	PCAP Multitouch (20 touch)
CPU	CPU	Intel® Core™ i5-5350U (1.8GHz)
	Chipset	Intel® Core™ i U-series 5 ^{ième} Generation
	RAM	2 x DDR3L - 1600 SO-DIMM (max. 16.0 Go)
Operating System		Windows 7 / 8.1 / 10 - Linux on demand
Drive Bay	HDD / SSD	1 x 2"1/2 SATA - Easy-Maintenance
I/O (With cover protection)		1 x USB 2.0 - 2 x USB 3.0 - 2 x RS-232 - 1 x DVI-I
		2 x Gigabit Ethernet (RJ45) - 1 x Audio (Micro/line In/Line Out) - 1 x Keylock
	Option	Port RS-422/485 - RS-422/485 isolated
Button / Indicator	Option	1 x RS-232 in more
	Under protection	ATX On/Off switch button
	On back	Power LED (Blue LED)
System Cooling		Fanless
Dimensions	Dimension WxHxD (mm)	763 x 455 x 102.5
	Weight (kg)	22
Industrial power supply	Version AC~	115/230VAC - 3/1.5A - 50/60Hz Power consumption: 140W max.
Safety & EMC	Security	EN60950-1
	EMC	EN55022, EN61000-3-2, EN61000-3-3, EN55024, EN-61000-4-2, EN-61000-4-3, EN-61000-4-4, EN-61000-4-5, EN-61000-4-6, EN-61000-4-8, EN-61000-4-11
Environnement	Operating Temperature	0° ~ + 35°C
	Storage Temperature	- 20 + 60°C
	Relative Humidity	5 95 %
Warranty		2 years Parts & Labour return to base as standard
Options	OPT/WIFI+BTH/V3246	Internal rugged wifi solution A/B/G/N/AC & Bluetooth - Rugged antenna
	XSUPPORTMUR/26-52	Wall mount support - Tilt +/- 15°
	OPT/RS485	Option port RS-422/485 (replace port RS-232)
	OPT/RS485/I	Option port RS-422/485 isolated (replace port RS-232)



Wallmount support



Ceiling support



Multitouch PCAP touch screen

Ordering Information

VITUS 32SFCICT/AC

Industrial Fanless rugged panel PC - Full HD 31.5" LED - Intel® Core™ i5-5350U - PCAP touch screen - 230VAC

Please ask for additional information about **Options & Accessories**.

Packing list

- 1 Power cord CE22 1.80 m (AC~ version)
- 1 Utility CD includes: User's manual
- 1 Utility CD includes: Drivers
- 1 Software Licence (label format)
- 1 Production & Traceability datasheet

Tento produkt můžete zakoupit u společnosti AutoCont IPC a.s.



AutoCont IPC a.s.

Váš dodavatel průmyslových počítačů, komponent a speciálních průmyslových IT systémů.

 Uhlířská 1064/3, 710 00 Ostrava, Česká republika

 obchod@autocont-ipc.cz

 +420 552 301 002

 www.autocont-ipc.cz



PRŮMYSLOVÉ POČÍTAČE

fanless embedded PC, do racku, ...



POČÍTAČE S DISPLEJEM

panelové PC, terminály, do vozidel, ...



AUTOMATIZACE A SBĚR DAT

převodníky, karty, moduly, switche, ...



PERIFERIE A KOMPONENTY

monitory, klávesnice, desky, skříně, ...



NOTEBOOKY A TABLETY

odolné, windows, android, IP65, ...



INFORMAČNÍ KIOSKY

interiérové, venkovní, ...



MEDICÍNSKÁ TECHNIKA

počítače, tablety, LCD, klávesnice, ...



SOFTWAREVÁ ŘEŠENÍ

pro výrobu, zaměstnance, kiosky, ...



PŘEJÍT DO E-SHOPU

eshop.autocont-ipc.cz



DOPRAVA ZDARMA

Doprava zdarma v ČR a SR při
objednávce nad 10 000 Kč bez DPH
nebo nad 400 EUR.



PRODLOUŽENÁ ZÁRUKA

Záruka 2 roky na vyráběné počítače
s možností jejího prodloužení
až na 5 let.



ODMĚNA ZA VĚRNOST

Pravidelní zákazníci u nás nakupují
za nižší ceny. Výše slevy se odvíjí
od realizovaného obrátu.



SERVIS ON-SITE A IN-TIME

K projektovým dodávkám nabízíme
rozšířenou podporu a servis s garancí
výměny zařízení do 48 hodin.