

Model # R15L600-MRM2

- 



Technical drawing of the front view of the 'L' model cabinet. The drawing shows a rectangular cabinet with a central panel and a control panel at the bottom. Dimensions are provided in millimeters: overall width 412.0, overall height 345.0, central panel width 306.0, central panel height 230.0, side panel width 53.0, top panel height 46.5, bottom panel height 68.5, and control panel height 62.0. A detail callout shows a 4-Ø6.5 hole pattern.

Side View

Dimensions: 79.7, 10.0, 23.9, 297.1, 345.0, 23.9

Both side 8-M4 Screw * 3L

Exploded view diagram of the modularized construction of the LCD module. The components shown are:

- Front Bezel
- Touch / Glass (Optional)
- Panel (Optional)
- Inverter Board
- Scaling Board
- Wide Voltage Range Power Module
- Touch Controller
- Metal Frame

The diagram illustrates the assembly sequence and the modular nature of the LCD module, highlighting the optional components and the main structural elements.

Technical drawing of a rectangular cutout. The drawing shows a rectangle with a central label "Cutout". Dimensions are provided for the rectangle's width and height, as well as for the spacing of internal features. The width is divided into three sections: 160,0, 160,0, and 13,2. The height is divided into four sections: 11,9, 20,6, 18,5, and 11,5. There are four circular features, each labeled $\varnothing 6,5$, located at the corners of the rectangle. A dimension of 12- $\varnothing 4,5$ is indicated for the top-right corner. The drawing is enclosed in a frame with a wavy outer boundary.

Technical drawing of the rear view of a rectangular frame assembly. The drawing shows a central rectangular area with four mounting holes, each labeled "4-M4-VESA". The overall dimensions are 160.0 x 160.0. The mounting holes are spaced 75.00 apart. The frame has a thickness of 13.0. The mounting holes are labeled "Ø 6.5". The frame is labeled "12-M4 TAP".

Diagram of the rear panel of the 28" monitor showing various ports and their connections. The ports are: 24V DC Terminal Block, RS232 for Touch, RS232 for, VGA, DVI, S-Video, and Composite. The distance between the RS232 for Touch and RS232 for ports is 355.6.

* Note: this is a simplified drawing and some components are not marked in detail.
Please contact our sales representative if you need further product information.

Touch Screen Options	: SAW, 5 Wire Resistive
AR Safety Glass Options	: 3mm Anti-reflective protection glass
AC power Options	: Yes (90 to 265 VAC power input)
Bracket Mounting Options	: Yes (One robust bracket can adjust from -10 to 30 deg.)


CE FCC RoHS COMPLIANT 2011/65/EU




15" Marine Bridge System Display

Model # R15L600-MRM2


Mechanical Design with Robust Bracket (option)




FRONT VIEW




SIDE VIEW




BACK VIEW



BOTTOM VIEW






ROOF MOUNT






STAND ANGLE

ROOF MOUNT



STAND ANGLE



* Note: this is a simplified drawing and some components are not marked in detail. Please contact our sales representative if you need further product information.

Certification and Approvals : CE,FCC,IEC60945,DNV2.4,IACS-E10

* Extra charge is required for back covers with bracket holes for products purchased before end of Nov. 08'



Tento produkt můžete zakoupit u společnosti AutoCont IPC a.s.



AutoCont IPC a.s.

Váš dodavatel průmyslových počítačů, komponent a speciálních průmyslových IT systémů.

 Uhlířská 1064/3, 710 00 Ostrava, Česká republika

 obchod@autocont-ipc.cz

 +420 552 301 002

 www.autocont-ipc.cz



PRŮMYSLOVÉ POČÍTAČE

fanless embedded PC, do racku, ...



POČÍTAČE S DISPLEJEM

panelové PC, terminály, do vozidel, ...



AUTOMATIZACE A SBĚR DAT

převodníky, karty, moduly, switche, ...



PERIFERIE A KOMPONENTY

monitory, klávesnice, desky, skříně, ...



NOTEBOOKY A TABLETY

odolné, windows, android, IP65, ...



INFORMAČNÍ KIOSKY

interiérové, venkovní, ...



MEDICÍNSKÁ TECHNIKA

počítače, tablety, LCD, klávesnice, ...



SOFTWAREVÁ ŘEŠENÍ

pro výrobu, zaměstnance, kiosky, ...



PŘEJÍT DO E-SHOPU

eshop.autocont-ipc.cz



DOPRAVA ZDARMA

Doprava zdarma v ČR a SR při objednávce nad 10 000 Kč bez DPH nebo nad 400 EUR.



PRODLOUŽENÁ ZÁRUKA

Záruka 2 roky na vyráběné počítače s možností jejího prodloužení až na 5 let.



ODMĚNA ZA VĚRNOST

Pravidelní zákazníci u nás nakupují za nižší ceny. Výše slevy se odvíjí od realizovaného obrátu.



SERVIS ON-SITE A IN-TIME

K projektovým dodávkám nabízíme rozšířenou podporu a servis s garancí výměny zařízení do 48 hodin.